


Emergency Operations

Emergency Operations



US Army Corps of Engineers BUILDING STRONG®

SPECIFICATION FOR MENS SHORT SLEEVE WHITE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5 - 6.8 oz. white short sleeve polo shirt. Contoured welt collar and cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Mens sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



Location: Right Chest Actual Size: 4" x 2.3" Location: Left Chest Pocket Actual Size: 2.75" x 1.04"

SPECIFICATION FOR MENS SHORT SLEEVE EMERGENCY WHITE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. white short sleeve polo shirt. Contoured welt collar and cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Mens sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 10 working days of receipt of the order.



Note: Center of left chest print must be directly across from the center of the right chest print

Actual Size: 2.75" x 1.04"

Actual Size: 4" x 2.3"

SPECIFICATION FOR MENS LONG SLEEVE WHITE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5 - 6.8 oz. white long sleeve polo shirt. Contoured welt collar. Ribbed cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Unisex sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



Location: Right Chest Actual Size: 4" x 2.3" Location: Left Chest Pocket Actual Size: 2.75" x 1.04"

SPECIFICATION FOR MENS LONG SLEEVE EMERGENCY WHITE POLO SHIRT

SHIRT SPECIFICATION: Cotton or cotton poly blend 5.6 to 6.8-oz. white long sleeve polo shirt. Contoured welt collar. Ribbed cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Unisex sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 10 working days of receipt of the order.



Location: Right Chest Actual Size: 4" x 2.3" Location: Left Chest Pocket Actual Size: 2.75" x 1.04"


SPECIFICATION FOR MENS SHORT SLEEVE RED POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. old glory red short sleeve polo shirt. Contoured welt collar and cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Mens sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.




SPECIFICATION FOR MENS SHORT SLEEVE EMERGENCY RED POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. old glory red short sleeve polo shirt. Contoured welt collar and cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Mens sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 10 working days of receipt of the order.



SPECIFICATION FOR MENS RED LONG SLEEVE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. old glory red long sleeve polo shirt. Contoured welt collar. Ribbed cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Unisex sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



SPECIFICATION FOR MENS EMERGENCY RED LONG SLEEVE POLO SHIRT

SHIRT SPECIFICATION: Cotton or cotton poly blend 5.6 to 6.8-oz. old glory red long sleeve polo shirt. Contoured welt collar. Ribbed cuffs. 2-3 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Unisex sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 10 working days of receipt of the order.



SPECIFICATION FOR LADIES SHORT SLEEVE RED POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. old glory red short sleeve polo shirt. Contoured welt collar and cuffs. 2-4 wood-tone buttons on a reversed placket. Tubular construction. Double-needle bottom hem. Womens sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. Imprint on front to be slightly higher than the mens shirt. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



SPECIFICATION FOR LADIES RED LONG SLEEVE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. old glory red long sleeve polo shirt. Contoured welt collar. Ribbed cuffs. 2-4 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Unisex sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. Imprint on front to be slightly higher than the mens shirt. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



SPECIFICATION FOR LADIES SHORT SLEEVE WHITE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. white polo shirt. Contoured welt collar and cuffs. 2-4 wood-tone buttons on a reversed placket. Tubular construction. Doubleneedle bottom hem. Womens sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. Imprint to be slightly higher than the mens shirt (see below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



SPECIFICATION FOR LADIES LONG SLEEVE WHITE POLO SHIRT

SHIRT SPECIFICATION: Preshrunk 100% cotton pique 6.5-6.8 oz. white long sleeve polo shirt. Contoured welt collar. Ribbed cuffs. 2-4 wood-tone buttons on a clean-finished placket with reinforced bottom box. Double-needle bottom hem. Unisex sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. Imprint to be slightly higher than the mens shirt (see below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be double wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



Location: Right Chest Actual Size: 4" x 2.3" Location: Left Chest Pocket Actual Size: 2.75" x 1.04"


SPECIFICATION FOR HAT

SPECIFICATIONS: Old glory red 6 panel laminated, low profile, poly/cotton twill cap. Shall have a red twill visor with 6-8 rows of stitching. The black undervisor is poly/cotton twill. The sweatband shall be black 100% cotton. The red eyelets are sewn with poly/cotton thread. This thread is also to be used to sew the cap together. Sizing of the cap shall be done with a tuck-in leather strap and a bronze buckle and buttonhole.

IMPRINTING: Embroidered in white in polyester thread on the front shall be the USACE BUILDING STRONG LOGO. Embroidered in white polyester thread on the back shall be EMERGENCY OPERATIONS. (See below).

PACKAGING: All packages shall have a standard quantity of 25 hats per box. Box dimensions are 28" x 9" x 7" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be single wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 32 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



Location: Cap Front Actual Size: 3.77" x 2.25"



Location: Cap Back Actual Size: 4.18" x .72"

SPECIFICATION FOR RAIN SUIT


JACKET SPECIFICATIONS: Jacket shall be old glory red made of 86 PIC 100% nylon taffeta with 3/4 oz. urethane coating. Single ply hood with drawstring. Red #5 coil full zipper front flap closure. 2 snap flap closure. Drawcord waist. No pockets. 2 eyelets underarm vents. 5 needle safety stitch construction. Reinforced zipper seams. Size and care contents in neck.

PANTS SPECIFICATIONS: Pants shall be old glory red made of 86 PIC 100% nylon taffeta with 3/4 oz. urethane coating. Elastic bottom. 1.5" waistband with self drawcord. Back patch pocket with velcro on right side. 5 needle safety stitch construction. Size and care contents on back rise seam

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each suit shall be individually poly bagged. All packages shall have a standard quantity of 15 suits per box. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be single wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 45 working days of receipt of the order.




SPECIFICATION FOR WINDBREAKER JACKET

SPECIFICATIONS: Jacket shall be old glory red made of 86 PIC 100% nylon taffeta. Red coil #5 full zipper front. 12" zipper enclosed hood with drawcord. 2 welt self pockets. Elastic cuffs. 5 needle safety stitch construction. Size and care contents in neck.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each jacket shall be individually poly bagged. All packages shall have a standard quantity of 25 jackets per box except for the larger sizes. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be single wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 45 working days of receipt of the order.



SPECIFICATION FOR CREWNECK SWEATSHIRT

SHIRT SPECIFICATIONS: Preshrunk 50% Cotton/50% Polyester 9.3 oz. dryblend polyester heather grey crewneck sweatshirt. Pill resistant fleece. Double needle stitching. 1 x 1 ribbed cuffs. Unisex sizing.

IMPRINTING: Red PMS 193 print. BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. EMERGENCY OPERATIONS BUILDING STRONG LOGO on back. (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 15 shirts per box. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 15" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be single wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.



Location: Right Chest Actual Size: 4" x 2.3" Location: Left Chest Actual Size: 2.75" x 1.04"



Location: Full Back Actual Size: 12.5" x 8"


SPECIFICATION FOR ZIPPER HOODED SWEATSHIRT

SHIRT SPECIFICATIONS: Preshrunk 50% Cotton/50% 9.3 oz. dryblend polyester heather grey sweatshirt. Pill resistant fleece. Single ply hood with matching drawstring. Pouch pocket. Double needle stitching. 1 x 1 ribbed cuffs. Unisex sizing.

IMPRINTING: Red PMS 193 print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back. (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 15 shirts per box. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 15" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be single wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.




SPECIFICATION FOR QA T'SHIRT

SHIRT SPECIFICATIONS: Preshrunk 100% cotton jersey old glory red tee shirt. Seamless double needle collar. Taped neck and shoulders. Double needle sleeve and bottom hems. Unisex sizing.

IMPRINTING: Iridescent white print. USACE BUILDING STRONG LOGO on the right chest. EMERGENCY OPERATIONS on the left chest centered off of the right chest print. USACE EMERGENCY OPERATIONS BUILDING STRONG LOGO on back (See below).

PACKAGING: Each shirt shall be individually poly bagged. All packages shall have a standard quantity of 25 shirts per box. Box dimensions are either 18" x 14" x 12" or 22" x 14" x 10" (+- 1/4"). All cartons are to be new. Used cartons or re-packaged cartons are unacceptable. All new cartons are to be single wall corrugated cartons and must meet Federal Specifications for domestic shipment. Corrugated materials are to be 1/4" thick or heavier. Edge crush to meet a minimum of 48 lb/in, load 100 lb.

DELIVERY: Delivery shall be made within 20 working days of receipt of the order.







Location: Full Back Actual Size: 12.5" x 8"